Enhance Package Service Level

Ce service comprend les niveaux de service suivants : Enhance Basic cellulaire/IP, Grade 2 cellulaire/IP et DualPath, Enhance Grade 3 cellulaire/IP

Service Level

Enhance Basic Cellular: Connectivity to the UltraSync™ server via Aritech SIM card cellular connection, according to an Single Path polling rate of 24 h reporting time, with a cellular data limitation of 5Mb, and additional Enhance services.

Enhance Basic IP: Connectivity to the UltraSync™ server Ethernet connection, according to an Single Path polling rate of 24 h reporting time,excluding cellular data and additional Enhance services.

Enhance Grade 2 Cellular: Connectivity to the UltraSync™ server via a cellular connection, according to EN grade 2 using a Single Path polling rate of 30 min reporting time, with a cellular data limitation of 5 Mb.and additional Enhance services.

Enhance Grade 2 IP: Connectivity to the UltraSync™ server via a Ethernet connection, according to EN grade 2 using a Single Path polling rate of 30 min reporting time, without a cellular data, and additional Enhance services.

Enhance Basic DualPath: Connectivity to the UltraSync™ server via a primary ethernet connection with cellular backup, according to a Dual Path polling rate of 24 h reporting time, with a cellular data limitation of 5 Mb.and additional Enhance services.

Enhance Grade 2 DualPath: Connectivity to the UltraSync™ server via a primary ethernet connection with cellular backup, according to EN grade 2 using a Dual Path polling rate of 30 min reporting time, with a cellular data limitation of 5 Mb, and additional Enhance services.

Enhance Grade 3 Cellular: Connectivity to the UltraSync™ server via a cellular connection, according to EN grade 3 using a Single Path polling rate of 3 min reporting time, with a cellular data limitation of 20 Mb and additional Enhance services.

Enhance Grade 3 IP: Connectivity to the UltraSync™ server via a Ethernet connection, according to EN grade 3 using a Single Path polling rate of 3 min reporting time, without a cellular data, and additional Enhance services.

Enhance Grade 3 DualPath: Connectivity to the UltraSync™ server via a primary ethernet connection with cellular backup, according to EN grade 3 using a Dual Path polling rate of 3 min reporting time, with a cellular data limitation of 20 Mb, and additional Enhance services.

Enhance Grade 4 Cellular: Connectivity to the UltraSync™ server via a cellular connection, according to EN grade 4 using a Single Path polling rate of 90 sec reporting time, with a cellular data limitation of 20 Mb and additional Enhance services.

Enhance Grade 4 IP: Connectivity to the UltraSync™ server via a Ethernet connection, according to EN grade 4 using a Single Path polling rate of 90 sec reporting time, without a cellular data, and additional Enhance services.

Enhance Grade 4 DualPath: Connectivity to the UltraSync™ server via



Détails

- Transmission de l'événement au CMS par voie cellulaire (Dual path) - 30 min polling - EN2 (Centrales d'intrusion)
- Aritech data Roaming SIM inclus (jusqu'à 5 Mb par mois) (Centrales Intrusion)
- Services Grade EN3 : Transmission d'événements au CMS - 3 min d'interrogation - EN3 (dispositif d'intrusion) + Limite de données cellulaires 20 Mb/mois
- Services Grade EN4 : Transmission d'événements au CMS - 90 sec polling - EN4 (Dispositif Intrusion) + Limite de données cellulaires 50 Mb/mois
- Toutes les autres fonctionnalités incluses dans le paquet de niveau de service "Core plus"

a primary ethernet connection with cellular backup, according to EN grade 4 using a Dual Path polling rate of 90 sec reporting time, with a cellular data limitation of 20Mb, and additional Enhance services.

Enhance Video: Connectivity to the UltraSync™ server via the Ethernet cable support Enhanced Video services, and additional Enhance services.

Enhance Package Service Level

Ce service comprend les niveaux de service suivants :
Enhance Basic cellulaire/IP, Grade 2 cellulaire/IP et DualPath, Enhance Grade 3 cellulaire/IP

Spécifications techniques

General

Software type	UltraSync Connected Services (UCS)
Supported technology	Fire, Intrusion, Video
Supported hardware	UltraSync Empowered

Software details

Software architecture	Client, Server
Supported browsers	Chrome, FireFox, Internet Explorer, Microsoft Edge, Opera, Safari
Language user interface	Danish, German, English, Finnish, French, Italian, Dutch, Polish, Portuguese, Swedish

System requirements

Supported operating system	Android, iOS, Linux, Mac OS X, Windows

Regulatory

Certification	EN50131-1

KIDDE GLOBAL SOLUTIONS

En tant que société d'innovation, Kidde Global Solutions se réserve le droit de modifier les spécifications des produits sans préavis. Pour les dernières spécifications du produit, visitez le site web fr.firesecurityproducts.com ou contactez votre représentant commercial.

Last updated on 12 November 2026 - 18:57